

LED Halle Licht



90604



Light Source: 80x1W White LEDs
 Beam Angle: 86°
 Input Voltage: 100-240V AC
 Color Temperature: 5000K(±500k)
 Luminous Flux: 5418 lm
 Power Consumption: 96W
 P.F.: >0.95
 Operating temperature: -30°C - +40°C

CE

LED Retail High Bay





90604-1



Light Source: 80x1W High Power LEDs
 Input Voltage: AC 100-240V 50/60Hz
 Beam Angle: 73°
 Power Consumption: 91.4W
 Luminous Flux: 4262Lm
 Color Temperature: 5000K(±500k)
 P.F.: >0.95
 IP Grade: IP41

CE

LED High Bay Fixture



35

36



90494/90614



Light Source: 10x1W High Power (White LED)
 Type: Pendant Lowbay
 Beam Angle: 77°
 Input Voltage: 90494: 220-240V AC 50Hz
 90614: 100-120V AC 60Hz
 Power Consumption: 12W
 Luminous Flux: 769lm
 P.F.: >0.90
 Color temperature: 5000(±500k)
 Triac Dimmable
 Operating temperature: -30°C - +40°C

CE

LED Retail Low Bay Fixtures





90504/90514

LED Retail Low Bay Fixtures



Light Source: 14x1W High Power (White LED)
 Type: Pendant Lowbay
 Beam Angle: 77°
 Input Voltage: 90504:220-240V AC 50Hz
 90514:100-120V AC 60Hz
 Power Consumption: 14W
 Luminous Flux: 719lm
 P.F: >0.90
 Color temperature: 3500K
 Triac Dimmable
 Operating temperature: -30°C - +40°C





90524/90624

LED Retail Low Bay Fixtures



Light Source: 10x1W High Power (White LED)
 Type: Surface Lowbay
 Beam Angle: 77°
 Input Voltage: 90524:220-240V AC 50Hz
 90624:100-120V AC 60Hz
 Power Consumption: 12W
 Luminous Flux: 769lm
 P.F: >0.90
 Color temperature: 5000(±500k)
 Triac Dimmable
 Operating temperature: -30°C - +40°C





90534/90544

LED Retail Low Bay Fixtures



Light Source: 14x1W High Power (White LED)
 Type: Surface Lowbay
 Beam Angle: 77°
 Input Voltage: 90534:220-240V AC 50Hz
 90544:100-120V AC 60Hz
 Power Consumption: 14W
 Luminous Flux: 719lm
 P.F: >0.90
 Color temperature: 3500K
 Triac Dimmable
 Operating temperature: -30°C - +40°C





90554/90634

LED Retail Low Bay Fixtures



Light Source: 10x1W High Power
(White LED)
Type: Recessed Ceiling Lowbay
Beam Angle: 77°
Input Voltage: 90554:220-240V AC 50Hz
90634:100-120V AC 60Hz
Power Consumption: 12W
Luminous Flux: 769lm
P.F: >0.90
Color temperature: 5000(±500k)
Triac Dimmable
Operating temperature: -30°C - +40°C

CE Ø120





90564/90574

LED Retail Low Bay Fixtures



Light Source: 14x1W High Power
(White LED)
Type: Recessed Ceiling Lowbay
Beam Angle: 77°
Input Voltage: 90564:220-240V AC 50Hz
90574:100-120V AC 60Hz
Power Consumption: 14W
Luminous Flux: 719lm
P.F: >0.90V
Color temperature: 3500K
Triac Dimmable
Operating temperature: -30°C - +40°C

CE Ø120



37

38