



***Product Name : Waterproof 5060 SMD LED Strip**



***Character**

- SIZE:500mm*12 mm *4.5mm
- LED Qty:30 PCS LED
- Input :DC12V /600mA
- Waterproof :IP68
- Package: 10PCS / Reel

***Circuit & Dimension(Unit: mm)**



PRODUCT SPECIFICATION

*Electrical / Optical Characteristics (at TA=25°C)

	LED QTY	View Angle	Work Voltage	Work Current	Power	Wave Length	Luminous Flux
	30PCS	120	DC12V	600mA	7.2W	620-625nm	80-100LM
	30PCS	120	DC12V	600mA	7.2W	590-595nm	80-100LM
	30PCS	120	DC12V	600mA	7.2W	465-470nm	70-80LM
	30PCS	120	DC12V	600mA	7.2W	515-520nm	270-300LM
	30PCS	120	DC12V	600mA	7.2W	>3000K	400-450LM

Notes: Tolerance of measurement of luminous intensity±15

*Operating Environment

Item	Range	Unit
Forward Current	IF600	m A
Operating Voltage	85-265	VAC
Electrostatic Discharge	>1500	V
Operating Temperature	-25 ~ +60	°C
Storage Temperature	-40 ~ +80	°C

